

# Biobank Series for Large Scale Storage



## Scope of Application

Biobank series for large scale storage is designed to ensure the maximum storage capacity with the minimum consumption of liquid nitrogen to lower the overall cost of operation.

## Innovative Design

- LN<sub>2</sub> Splash Proof
- Vapour Phase Storage
- Data Logging
- Lockable Lid
- Hot Gas Bypass
- Liquid Phase Storage
- 5 Year Vacuum Warranty
- One-touch Defogging
- From 13,000 to 94,875 Cryovials
- Vapour Phase Storage
- IoT Enabled

### Qingdao Haier Biomedical Co., Ltd.

No.280 Feng Yuan Road, High-tech Zone,  
Qingdao, 266111, P.R. China  
E-mail: [inquiry@haierbiomedical.com](mailto:inquiry@haierbiomedical.com)  
Website: [www.haiermedical.com](http://www.haiermedical.com)



Haier Biomedical  
International



Haier Biomedical  
International



@haiermedicalint



Haier Biomedical  
International



Haier Biomedical  
International


## Key Features

- Massive capacity between 13,000 to 94,875×2ml Vials
- Vapour phase storage is the only guaranteed method to prevent cross-contamination
- Vapour phase storage at -190°C
- One-touch defogging for easier access
- LN<sub>2</sub> splash proof ensures a safer operation
- Suitable for wide variety of sample storage
- 5-Year vacuum warranty

## Product Advantages

### Optimal Use of Storage Space

Racks are stored on the rotating tray with an appropriate distance from the wall of the chamber. Liquid nitrogen or supercooled nitrogen vapour is filled in the space between the tray and the wall to maintain temperature uniformity. Storage space is equally divided into four or six fan-shaped storage areas which are clearly labelled. Each storage room is easily rotated to the opening of the tank for convenient sample access.



### Designed for Both Liquid and Vapor Phase Storages

Each model from the Biobank series for large scale storage is designed for both liquid and vapor phase storage. For the vapor phase storage operation process, samples are located away from the liquid nitrogen at a uniform temperature close to that of liquid nitrogen.

### Advanced Vacuum Technology and Superinsulation Technology

Haier Biomedical's Liquid Nitrogen Storage System Biobank series for large scale storage applies advanced vacuum technology and superinsulation technology to ensure storage safety and temperature uniformity while reducing the consumption of liquid nitrogen. The temperature difference of the entire storage area does not exceed 10°C, even during the vapor phase storage process, the temperature near the top of the shelf is as low as -190°C.




### Cryosmart Level Monitoring System ITC-800N201(N4.1)


Haier Biomedical's Liquid Nitrogen Storage System Biobank series for large scale storage feature the Cryosmart system for complete monitoring and control. High-precision temperature and liquid level sensors are used to ensure accuracy. All data and samples are protected by a secure access control system.

## Liquid and Gas Phase

### Liquid Phase



### Gas Phase



### Top of the Container




The unique design can reduce the amount of water vapor solidification on the outer surface of the neck, the container is reinforced at liquid nitrogen temperature to extend the physical service life of the container.


### Liquid Feed System




The large-caliber stainless steel liquid nitrogen biological container is matched with a self pressurizing replenishment tank, which is suitable for scientific research institutions with a small sample storage capacity.




## Product Parts




## Temperature Test Graph




- ① Precooling stage when freezer filled to high level
- ② Lid open test, -179.2°C max
- ③ With no liquid nitrogen supply, the temperature maintained below -135°C for 22 days



- ① Precooling stage when freezer filled to high level
- ② Lid open test, -180.2°C max
- ③ With no liquid nitrogen supply, the temperature maintained below -135°C for 20 days



- ① Precooling stage when freezer filled to high level
- ② Lid open test, -179.4°C max
- ③ With no liquid nitrogen supply, the temperature maintained below -135°C for 21 days



- ① Precooling stage when freezer filled to high level
- ② Lid open test, -181.4°C max
- ③ With no liquid nitrogen supply, the temperature maintained below -135°C for 19 days

Temp Test indicates typical performance of Haier Biobank freezer with factory recommended level settings. Actual performance may vary with atmospheric conditions and usage.

## Technical Parameters



Model	YDD-350-326/PM	YDD-370-326/PM	YDD-450-326/PT	YDD-550-445/PM	YDD-750-445/PM
2ml Volume	13K	16K	21K	27K	38K
Maximum Storage Capacity					
2 ml Vials (Internal Thread)	13000	15600	21000	27000	37800
Freeze Rack (100 wells)	12	12	12	24	24
Freeze Rack (25 wells)	4	4	8	12	12
Layers of each Rack	10	12	15	10	14
5 ml Vials (Internal Thread)	5360	6432	10548	11220	17952
Freeze Rack (81 wells)	12	12	12	24	24
Freeze Rack (25 wells)	4	4	8	12	12
Layers of each Rack	5	6	9	5	8
Performance					
Volume of LN <sub>2</sub> (L)	350	370	480	587	783
Volume of LN <sub>2</sub> under the Tray (L)	55	55	55	80	80
Dimensions					
Inside Neck Diameter (mm)	326	326	326	445	445
Effective Internal Height (mm)	600	704	900	600	828
Height (mm)	1263	1370	1570	1266	1486
Operating Height (mm)	1263	1096	1060	1266	995
Outside Diameter (mm)	875	875	875	1104	1104
Door Width Requirement (mm)	895	895	895	1124	1124
Empty Weight (kg)	245	283	308	328	372
Full Weight (kg)	528	582	696	802	1005
Shipping Weight (kg)	384	536	501	520	616

## Blood Bag Capacity



Model	YDD-350-326/PM			YDD-370-326/PM			YDD-450-326/PT			YDD-550-445/PM			YDD-750-445/PM		
Bag Specifications	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks
25 ml (791 OS/U)	1176	6	196	1372	7	196	1602	9	178	2208	6	368	2944	8	368
50 ml (4R9951)	720	6	120	840	7	120	990	9	110	1392	6	232	1856	8	232
250 ml (DF-200)	264	3	88	352	4	88	450	5	90	516	3	172	860	5	172
500 ml (4R9953)	168	3	56	168	3	56	270	5	54	336	3	112	560	5	112
500 ml (4R9955)	144	3	48	192	4	48	370	5	74	288	3	96	480	5	96
700 ml (DF - 700)	96	3	32	96	3	32	260	5	52	204	3	68	272	4	68



## Technical Parameters



Model	YDD-850-465/PM	YDD-1000-465/PT	YDD-1300-635/PM	YDD-1600-635/PM	YDD-1800-635/PT
2ml Volume	43K	51K	59K	76K	95K
Maximum Storage Capacity					
2 ml Vials (Internal Thread)	42900	51000	58500	76050	94875
Freeze Rack (100 wells)	32	30	54	54	60
Freeze Rack (25 wells)	4	16	18	18	13
Layers of each Rack	13	15	10	13	15
5 ml Vials (Internal Thread)	18844	25470	28944	33768	46665
Freeze Rack (81 wells)	32	30	54	54	60
Freeze Rack (25 wells)	4	16	18	18	13
Layers of each Rack	7	9	6	7	9
Performance					
Volume of LN <sub>2</sub> (L)	890	1014	1340	1660	1880
Volume of LN <sub>2</sub> under the Tray (L)	135	135	265	300	320
Dimensions					
Inside Neck Diameter (mm)	465	465	635	635	635
Effective Internal Height (mm)	773	900	620	791	900
Height (mm)	1499	1619	1341	1534	1661
Operating Height (mm)	980	1090	997	967	1097
Outside Diameter (mm)	1190	1190	1565	1565	1565
Door Width Requirement (mm)	1210	1210	1585	1585	1585
Empty Weight (kg)	441	495	851	914	985
Full Weight (kg)	1160	1314	1934	2255	2504
Shipping Weight (kg)	702	926	1168	1426	1520

## Blood Bag Capacity



Model	YDD-850-465/PM			YDD-1000-465/PT			YDD-1300-635/PM			YDD-1600-635/PM			YDD-1800-635/PT		
Bag Specifications	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks	Total No. of Bags	Rack Layers	No. of Racks
25 ml (791 OS/U)	2996	7	428	3852	9	428	4536	6	756	5292	7	756	7218	9	802
50 ml (4R9951)	1904	7	272	2394	9	266	2808	6	468	3276	7	468	4446	9	494
250 ml (DF-200)	832	4	208	1020	5	204	1062	3	354	1770	5	354	1940	5	388
500 ml (4R9953)	544	4	136	670	5	134	666	3	222	888	4	222	1290	5	258
500 ml (4R9955)	464	4	116	520	5	104	594	3	198	792	4	198	1090	5	218
700 ml (DF - 700)	320	4	80	400	5	80	396	3	132	528	4	132	775	5	155

## Racks (vertical type) and Blood Bag Frame






Racks (vertical type)




25 ml  
Blood bag Frame

50 ml  
Blood bag frame




YDD-350-326/PM  
YDD-370-326/PM






YDD-450-326/PT






YDD-550-445/PM  
YDD-750-445/PM






YDD-850-465/PM






YDD-1000-465/PT



YDD-1300-635/PM  
YDD-1600-635/PM



YDD-1800-635/PT




## Biological Sample Bank-YDD Series


### Storage Example of 2ml Internally Threaded Vial




### Storage Example of Tall 5ml Cryovials



### Blood Bag Storage Example



### Straw Storage Example





## Product List

Model	Product	Product Model	Description and Accessories
YDD-350-326/ PM(13K)	Biobank freezer (Smart type)	YDD-350-326/PM	Includes vacuum isolated hose (GRG-DN10/2.0), 4pcs of 10-tier rack (5*5), 12 pcs of 10-tier rack (9*9), 40pcs of cryo boxes for 2ml vial(5*5), 120pcs of cryo boxes for 2ml vial (9*9), 1 set of cryo smart (level monitoring system)
	Biobank freezer	YDD-350-326/PM	Includes vacuum isolated hose (GRG-DN10/2.0). Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-10	Used for storing 5*5 cryoboxes (2ml), ten layers in total, suitable for YDD-350/550/1300 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-10	Used for storing 9*9 cryoboxes (2ml). Ten layers in total. Suitable for YDD-350/550/1300 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-370-326/ PM(16K)	Biobank freezer (Smart type)	YDD-370-326/PM	Includes vacuum isolated hose (GRG-DN10/2.0). 4pcs of 12-tier rack (5*5). 12 pcs of 12-tier rack (9*9). 48pcs of cryo boxes for 2ml vial (5*5), 144pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-370-326/PM	Includes vacuum isolated hose (GRG-DN10/2.0). Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-12	Used for storing 5*5 cryoboxes (2ml), Twelve layers in total. suitable for YDD-370 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-12	Used for storing 9*9 cryoboxes (2ml), Twelve layers in total, suitable for YDD-370 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-450-326/ PT(21K)	Biobank freezer (Smart type)	YDD-450-326/PT	Includes vacuum isolated hose (GRG-DN10/2.0). 8pcs of 15-tier rack (5*5). 12 pcs of 15-tier rack (9*9), 120pcs of cryo boxes for 2ml vial (5*5), 180pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-450-326/PT	Includes vacuum isolated hose (GRG-DN10/2.0). Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-15	Used for storing 5*5 cryoboxes (2ml), Fifteen layers in total, suitable for YDD-1000/1800 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-15	Used for storing 9*9 cryoboxes (2ml), Fifteen layers in total, suitable for YDD-1000/1800 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module

## Product List

Model	Product	Product Model	Description and Accessories
YDD-550-445/ PM(27K)	Biobank freezer (Smart type)	YDD-550-445/PM	Includes vacuum isolated hose (GRG-DN10/2.0). 12pcs of 10-tier rack (5*5). 24 pcs of 10-tier rack (9*9). 120pcs of cryo boxes for 2ml vial (5*5). 240pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-550-445/PM	Includes vacuum isolated hose (GRG-DN10/2.0). Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-10	Used for storing 5*5 cryoboxes (2ml), ten layers in total. suitable for YDD-350/550/1300 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-10	Used for storing 9*9 cryoboxes (2ml), Ten layers in total, Suitable for YDD-350/550/1300 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-750-445/ PM(38K)	Biobank freezer (Smart type)	YDD-750-445/PM	Includes vacuum isolated hose (GRG-DN10/2.0). 12pcs of 14-tier rack (5*5). 24 pcs of 14-tier rack (9*9). 168pcs of cryo boxes for 2ml vial (5*5). 336pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-750-445/PM	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-14	Used for storing 5*5 cryoboxes (2ml), Fourteen layers in total. suitable for YDD-450/750 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-14	Used for storing 9*9 cryoboxes (2ml), Fourteen layers in total, suitable for YDD-450/750 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-850-465/ PM(43K)	Biobank freezer (Smart type)	YDD-850-465/PM	Includes vacuum isolated hose (GRG-DN10/2.0), 4 pcs of 13-tier rack (5*5). 32 pcs of 13-tier rack (9*9), 52pcs of cryo boxes (5*5) for 2ml vial. 416pcs of cryo boxes (9*9) for 2ml vial, 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-850-465/PM	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-13	Used for storing 5*5 cryoboxes (2ml), Thirteen layers in total, suitable for YDD-850/1600 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-13	Used for storing 9*9 cryoboxes (2ml), Thirteen layers in total, suitable for YDD-850/1600 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module

## Product List

Model	Product	Product Model	Description and Accessories
YDD-1000-465/ PT(51K)	Biobank freezer (Smart type)	YDD-1000-465/PT	Includes vacuum isolated hose (GRG-DN10/2.0), 16 pcs of 15-tier rack (5*5), 30 pcs of 15-tier rack (9*9), 240pcs of cryo boxes (5*5) for 2ml vial, 450pcs of cryo boxes (9*9) for 2ml vial. 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-1000-465/PT	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-15	Used for storing 5*5 cryoboxes (2ml), Fifteen layers in total. suitable for YDD-1000/1800 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-15	Used for storing 9*9 cryoboxes (2ml), Fifteen layers in total, suitable for YDD-1000/1800 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-1300-635/ PM(59K)	Biobank freezer (Smart type)	YDD-1300-635/PM	Includes vacuum isolated hose (GRG-DN10/2.0), 18pcs of 10-tier rack (5*5), 54 pcs of 10-tier rack (9*9), 180pcs of cryo boxes for 2ml vial (5*5), 540pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-1300-635/PM	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-10	Used for storing 5*5 cryoboxes (2ml), ten layers in total. suitable for YDD-350/550/1300 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-10	Used for storing 9*9 cryoboxes (2ml), Ten layers in total. Suitable for YDD-350/550/1300 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
YDD-1600-635/ PM(76K)	Biobank freezer (Smart type)	YDD-1600-635/PM	Includes vacuum isolated hose (GRG-DN10/2.0), 18pcs of 13-tier rack (5*5), 54 pcs of 13-tier rack (9*9), 234pcs of cryo boxes for 2ml vial (5*5), 702pcs of cryo boxes for 2ml vial (9*9), 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-1600-635/PM	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-13	Used for storing 5*5 cryoboxes (2ml), Thirteen layers in total, suitable for YDD-850/1600 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-13	Used for storing 9*9 cryoboxes (2ml). Thirteen layers in total, suitable for YDD-850/1600 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module

Model	Product	Product Model	Description and Accessories
YDD-1800-635/ PT(95K)	Biobank freezer (Smart type)	YDD-1800-635/PT	Includes vacuum isolated hose (GRG-DN10/2.0), 13 pcs of 15-tier rack (5*5), 60 pcs of 15-tier rack (9*9), 195pcs of cryo boxes (5*5) for 2ml vial, 900pcs of cryo boxes (9*9) for 2ml vial, 1 set of cryosmart (level monitoring system)
	Biobank freezer	YDD-1800-635/PT	Includes vacuum isolated hose (GRG-DN10/2.0), Rack and intelligent level monitoring system are optional
	Rack (vertical type)	FDCJ-25-15	Used for storing 5*5 cryoboxes (2ml). Fifteen layers in total, suitable for YDD-1000/1800 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-15	Used for storing 9*9 cryoboxes (2ml), Fifteen layers in total, suitable for YDD-1000/1800 (excluding cryoboxes)
	Plastic cryo box	FH-25	Used for storing 1.8ml/2ml vial (25 holes)
	Plastic cryo box	FH-81	Used for storing 1.8ml/2ml vial (81 holes)
	Plastic cryo box	FH-100	Used for storing 1.8ml/2ml vial (internally threaded, 100 holes)
	Cryosmart level monitoring system	ITC-800N	Suitable for all capacitive measurement of gas phase liquid nitrogen containers, including the liquid inlet system and excluding the wireless data transmission module
	Data Repeater	RP-400	Data transmitted to cloud platform through GPRS, with SIM card included, suitable for all YDD products of Haier
Other Racks	Blood bag frame	DCJ-250-3	3 layers frame used for storing 250ml blood bag, each layer storing one blood bag, with blood bag cassettes included. Suitable for YDD-350/550/1300
	Blood bag frame	DCJ-250-4	4 layers frame used for storing 250ml blood bag, each layer storing one blood bag, with blood bag cassettes included. Suitable for YDD-850
	Blood bag frame	DCJ-250-5H	5 layers frame used for storing 250ml blood bag, each layer storing one blood bag, with blood bag cassettes included. Suitable for YDD-450/750/1000/1800
	Blood bag frame	DCJ-25-6	6 layers frame used for storing 25ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-350/550/1300
	Blood bag frame	DCJ-25-7H	7 layers frame used for storing 25ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-850/1600
	Blood bag frame	DCJ-25-8H	8 layers frame used for storing 25ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-450/750
	Blood bag frame	DCJ-25-9H	9 layers frame used for storing 25ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-450-326/PT, YDD-1000-465/PM, YDD-1800-625/PT
	Blood bag frame	DCJ-50-6H	6 layers frame used for storing 50ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-350/550/1300
	Blood bag frame	DCJ-50-7H	7 layers frame used for storing 50ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-850/1600
	Blood bag frame	DCJ-50-8H	8 layers frame used for storing 50ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-450/750
	Blood bag frame	DCJ-50-9H	9 layers frame used for storing 50ml blood bag, each layer storing one blood bag, with blood bag cassettes included. suitable for YDD-1000/1800
	Rack (vertical type)	FDCJ-25-5/5.0	Used for storing 5*5 cryoboxes (5ml), five layers in total. suitable for YDD-350/550/1300 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-25-7/5.0	Used for storing 5*5 cryoboxes (5ml), seven layers in total, suitable for YDD-850/1600 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-25-9/5.0	Used for storing 5*5 cryoboxes(5ml), nine layers in total, suitable for YDD-450\750\1000\1800(excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-5/5.0	Used for storing 9*9 cryoboxes (5ml). Five layers in total. suitable for YDD-350/550 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-6/5.0	Used for storing 9*9 cryo boxes (5ml), 7 layers in total. suitable for YDD-370/1300 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-7/5.0	Used for storing 9*9 cryoboxes (5ml), Seven layers in total. suitable for YDD-850/1600 (excluding cryoboxes)
	Rack (vertical type)	FDCJ-81-9/5.0	Used for storing 9*9 cryoboxes (5ml), nine layers in total. suitable for YDD-450/750/1000/1800 (excluding cryoboxes)
	Rack (vertical type)	XDCJ-8-12	Used for storing 8 holes aluminium cryoboxes (2ml), Twelve layers in total. with aluminium cryoboxes included. suitable for YDD-450/750/850/1600
	Rack (vertical type)	XDCJ-8-9	Used for storing 8 holes aluminium cryoboxes (2ml). Nine layers in total. with aluminium cryoboxes included. suitable for YDD-350/550/1300
	Round Rack	YDCJ-97-2	With 2 stainless steel canisters (φ97/276mm), 4 plastic goblets SNT-97 and 2 pick up lifter for goblets in total, the storage capacity for 0.5ml straw is 3016, suitable for YDD-350\YDD-550\YDD-1300

\*Haier Biomedical reserves the right to change products and specifications without prior notice.